



Rating:0.5A 30V DC  
 Contact Resistance:100 mΩ Max.  
 Operating temperature:-20℃~70℃  
 Operating force:3~20N  
 Operating Life:5,000cycles

ECN NO.	REV.	DATE.	DESCRIPTION.	CHECK.	APPRO.																																							
	A		NEW																																									
<table border="1"> <tr> <td>② Terminal</td> <td>8</td> <td>Phosphor bronze/kg/Au Plating</td> </tr> <tr> <td>① Housing</td> <td>1</td> <td>Nylon Black</td> </tr> </table>						② Terminal	8	Phosphor bronze/kg/Au Plating	① Housing	1	Nylon Black																																	
② Terminal	8	Phosphor bronze/kg/Au Plating																																										
① Housing	1	Nylon Black																																										
<table border="1"> <tr> <th>ITEM</th> <th>PART NAME</th> <th>TER'NO.</th> <th>QTY.</th> <th>MATERIAL</th> <th>FINISHING</th> <th>REMARK</th> </tr> <tr> <td colspan="7">APPROVALS</td> </tr> <tr> <td colspan="2">DRAWN</td> <td colspan="2">DATE</td> <td colspan="3">TITLE:</td> </tr> <tr> <td colspan="2">J.X.Zhang</td> <td colspan="2">2016/05/11</td> <td colspan="3">PHONE JACKES</td> </tr> <tr> <td colspan="4">CHECKED</td> <td colspan="3">PART NO.</td> </tr> <tr> <td colspan="4">APPROVALS</td> <td colspan="3">PJ-393-8A</td> </tr> </table>			ITEM	PART NAME	TER'NO.	QTY.	MATERIAL	FINISHING	REMARK	APPROVALS							DRAWN		DATE		TITLE:			J.X.Zhang		2016/05/11		PHONE JACKES			CHECKED				PART NO.			APPROVALS				PJ-393-8A		
ITEM	PART NAME	TER'NO.	QTY.	MATERIAL	FINISHING	REMARK																																						
APPROVALS																																												
DRAWN		DATE		TITLE:																																								
J.X.Zhang		2016/05/11		PHONE JACKES																																								
CHECKED				PART NO.																																								
APPROVALS				PJ-393-8A																																								
<table border="1"> <tr> <th>TOLERANCES ARE</th> <th>ANGLE</th> <th>UNIT:</th> <th>SCALE:</th> <th>PROJ.</th> <th>SHEET</th> </tr> <tr> <td>30~0.12</td> <td>±0.30</td> <td>mm</td> <td>1:1</td> <td>1st</td> <td>1 OF 1</td> </tr> <tr> <td>10~0.30</td> <td>±0.20</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>5~10</td> <td>±0.15</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>~5</td> <td>±0.10</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>			TOLERANCES ARE	ANGLE	UNIT:	SCALE:	PROJ.	SHEET	30~0.12	±0.30	mm	1:1	1st	1 OF 1	10~0.30	±0.20					5~10	±0.15					~5	±0.10																
TOLERANCES ARE	ANGLE	UNIT:	SCALE:	PROJ.	SHEET																																							
30~0.12	±0.30	mm	1:1	1st	1 OF 1																																							
10~0.30	±0.20																																											
5~10	±0.15																																											
~5	±0.10																																											
<p><b>OKHRO</b>                  ELECTRONICS CO.,LTD</p>																																												